




ESKIMO
CERAMICA

WALL DECOR
TILES


300x300 MM

IRIES

COLLECTION



TURN SPACE INTO A PIECE OF ART WITH
MULTIPLE COLOR & SMOOTH TEXTURE




spectacular
SERIES

 MULTIPLE
COLOR


 IMPRESSIVE
DESIGN

 GEOMETRIC
SHAPE

 SMOOTH
TEXTURE

 ICONIC
PUNCH

 PERFECT
SIZE



**SPECIALIZED APPLICATION
DIGITAL WALL TILES**



13MM

Size
**300X
300MM**

Finish
MATT

**ICONIC PUNCH
THAT CREATE REVOLUTIONISING
IMPRESSIVELY DESIGNS**

Thickness
↑  ↓
13MM



IRIS ARMANI-HL-1-A




IRIS ARMANI-HL-1-B



IRIS ARMANI-HL-1-C





IRIS ALMANDO




WALL DECORE PREVIEW OF

IRIS ARMANI







IRIS BRICK-HL-1-A



IRIS BRICK-D(RANDOM)



IRIS BRICK-L(RANDOM)




WALL DECORE PREVIEW OF


IRIS BRICK




RANDOM DESIGN




IRIS CARBON-HL-1-A




IRIS CARBON-D(RANDOM)



IRIS CARBON-HL-1-B




IRIS CARBON-L(RANDOM)




WALL DECORE PREVIEW OF

IRIS CARBON





IRIS CHOCHOCHIP-HL-1-A




IRIS CHOCHOCHIP-HL-1-B



IRIS CHOCHOCHIP-HL-1-C



IRIS LT CHOCLATE



WALL DECORE PREVIEW OF

IRIS CHOCHOCHIP




RANDOM DESIGN



IRIS PEACOCK-HL-1-A




IRIS PEACOCK-HL-1-B



IRIS STEEL GRAY




IRIS WHITE




WALL DECORE PREVIEW OF
IRIS PEACOCK








IRIS PIYANO-L(RANDOM)



IRIS PIYANO-HL-1



IRIS PIYANO-D(RANDOM)




WALL DECORE PREVIEW OF

IRIS PIYANO






IRIS PRIME-HL-1-A



IRIS PRIME-HL-1-B



IRIS WHITE



WALL DECORE PREVIEW OF

IRIS PRIME







IRIS RETRO-HL-1



MATRIX RETRO-L(RANDOM)





MATRIX RETRO-D(RANDOM)



WALL DECORE PREVIEW OF

IRIS RETRO






IRIS SPERIOR-HL-1-A



IRIS SPERIOR-HL-1-B




IRIS PURPLE



WALL DECORE PREVIEW OF

IRIS SUPERIOR




RANDOM DESIGN




IRIS VINTAGE-HL-1-A



IRIS VINTAGE-HL-1-B



IRIS CREMA





WALL DECORE PREVIEW OF


IRIS VINTAGE

MATT
COLLECTION


SIZE FORMAT
300x300 MM

WALL DECOR TILES

RANDOM DESIGN



IRIS WALNUT BROWNY-D







WALL DECORE PREVIEW OF

IRIS WALNUT BROWNY







IRIS WALNUT COFFEE-D




WALL DECORE PREVIEW OF

IRIS WALNUT COFFEE







IRIS WALNUT GOLDY-D




WALL DECORE PREVIEW OF

IRIS WALNUT GOLDY





IRIS WALNUT GRAY-D



WALL DECORE PREVIEW OF

IRIS WALNUT GRAY






IRISH EMBROIDERY-HL-1-A



IRISH EMBROIDERY-HL-1-B



IRIS CREMA



WALL DECORE PREVIEW OF

IRISH EMBROIDERY



Application Area



LIVING ROOM



BEDROOM INTERIOR



AUDITORIUM



PREMIUM CAFES



OFFICE INTERIOR



RECEPTION DESK



LUXURIOUS SHOW ROOM



BATH AREA

Surface And Benefits



Resistant to mould and fungi



Resistant to UV rays, no alteration to colours



Resistant to scratches and abrasions



Resistant to chemicals, acids, alkalis and solvents



Resistant to humidity



Resistant to staining



Resistant to heat and high temperatures



Suitable for indoor and outdoor applications



Resistant to deflection



Resistant to thermal shock

TECHNICAL SPECIFICATION

DIMENSION & SURFACE QUALITY		
1) Dimension & Surface Quality	+0.5%	+0.4% ²⁾
2) Deviation in Thickness	+0.6%	+0.3 mm
3) Straightness of sides	+0.3%	+0.2%
4) Rectangularity	+0.5%	+0.3%
5) Surface Flatness	+0.5%	+0.3%
6) Surface Quality	Min.95%	Min.96%
PHYSICAL PROPERTIES		
1) Water Absorption	> 10%	12-15%
2) Bending Strength	> 150 kg./cm ²	150-180 kg./cm ²
3) Scratch hardness (Mohs)	Min 3	Min 3
4) Crazing	1 Cycles	No Crazing at 4 Cycles
CHEMICAL PROPERTIES		
1) Staining Resistance	Min Class 2	Resistance to all Acids & Alkalies & Household Chemicals, except Hydrochloric Acid
2) Household Chemical	Min Class B	
THERMAL PROPERTIES		
1) Thermal Shock	Resistant to 10 Cycles	CONFORMS
2) Thermal Expansion	Max. 9E-06	CONFORMS

PACKING DETAILS

Size	Thickness	Pcs/Box	Coverage Area	Weight
300x300mm	13mm (approx)	10	09 Sq.mtr	17.12 Kg. (approx)

Contact Details:

 www.eskimoceramica.com

Export Inquiry:

 export@eskimoceramica.com

 +91 8980 714071

Domestic Inquiry:

 eskimoceramica@gmail.com

 +91 9925 132132

 +91 9998 506661

Corporate Address:

G-23, Siromany Business Center, Nr. Eden Ceramic City, Behind Real Plaza,
8-A National Highway, At Lalpar, Dist. Morbi, 363 642 Gujarat (INDIA)

