




**ESKIMO**  
CERAMICA

**WALL DECOR**  
TILES


**300x300 MM**

# Rope

COLLECTION



TURN SPACE INTO A PIECE OF ART WITH  
**MULTIPLE COLOR & SMOOTH TEXTURE**



  
**spectacular**  
SERIES

 MULTIPLE  
COLOR


 IMPRESSIVE  
DESIGN

 GEOMETRIC  
SHAPE

 SMOOTH  
TEXTURE

 ICONIC  
PUNCH

 PERFECT  
SIZE



**SPECIALIZED APPLICATION  
DIGITAL WALL TILES**




**13MM**

Size  
**300X  
300MM**


Finish  
**MATT**

Thickness  
↑  ↓  
**13MM**


**ICONIC PUNCH  
THAT CREATE REVOLUTIONISING  
IMPRESSIVELY DESIGNS**



ROPE ALMOND-L





ROPE ALMOND-D




WALL DECORE PREVIEW OF

# ROPE ALMOUND






ROPE AZURE-L





ROPE AZURE-D




WALL DECORE PREVIEW OF

ROPE AZURE






ROPE COCOON-D




WALL DECORE PREVIEW OF

# ROPE COCOON






ROPE DENIM-L




ROPE DENIM-D




WALL DECORE PREVIEW OF

# ROPE DENIM






ROPE GREENWOOD-L




ROPE GREENWOOD-D




WALL DECORE PREVIEW OF

# ROPE GREENWOOD






**ROPE PEANUTS-L**



**ROPE PEANUTS-HL-1**






**ROPE PEANUTS-D**




WALL DECORE PREVIEW OF

# ROPE PEANUTS






ROPE CREAMA




ROPE ROYAL HL-1



WALL DECORE PREVIEW OF

# ROPE ROYAL







**ROPE TONS-HL-1**



**ROPE TONS-L**



**ROPE TONS-D**



WALL DECORE PREVIEW OF

# ROPE TONS



## Application Area

---



LIVING ROOM



BEDROOM INTERIOR



AUDITORIUM



PREMIUM CAFES



OFFICE INTERIOR



RECEPTION DESK



LUXURIOUS SHOW ROOM



BATH AREA

## Surface And Benefits

---



Resistant to mould and fungi



Resistant to UV rays, no alteration to colours



Resistant to scratches and abrasions



Resistant to chemicals, acids, alkalis and solvents



Resistant to humidity



Resistant to staining



Resistant to heat and high temperatures



Suitable for indoor and outdoor applications



Resistant to deflection



Resistant to thermal shock

## TECHNICAL SPECIFICATION

DIMENSION & SURFACE QUALITY		
1) Dimension & Surface Quality	+0.5%	+0.4% <sup>2)</sup>
2) Deviation in Thickness	+0.6%	+0.3 mm
3) Straightness of sides	+0.3%	+0.2%
4) Rectangularity	+0.5%	+0.3%
5) Surface Flatness	+0.5%	+0.3%
6) Surface Quality	Min.95%	Min.96%
PHYSICAL PROPERTIES		
1) Water Absorption	> 10%	12-15%
2) Bending Strength	> 150 kg./cm <sup>2</sup>	150-180 kg./cm <sup>2</sup>
3) Scratch hardness (Mohs)	Min 3	Min 3
4) Crazeing	1 Cycles	No Crazeing at 4 Cycles
CHEMICAL PROPERTIES		
1) Staining Resistance	Min Class 2	Resistance to all Acids & Alkalies & Household Chemicals, except Hydrochloric Acid
2) Household Chemical	Min Class B	
THERMAL PROPERTIES		
1) ThermalShock	Resistant to 10 Cycles	CONFORMS
2) Thermal Expansion	Max. 9E-06	CONFORMS

## PACKING DETAILS

Size	Thickness	Pcs/Box	Coverage Area	Weight
300x300mm	13mm (approx)	10	09 Sq.mtr	17.12 Kg. (approx)

Contact Details:

 [www.eskimoceramica.com](http://www.eskimoceramica.com)

**Export Inquiry:**


 [export@eskimoceramica.com](mailto:export@eskimoceramica.com)

 +91 8980 714071

**Domestic Inquiry:**

 [eskimoceramica@gmail.com](mailto:eskimoceramica@gmail.com)

 +91 9925 132132

 +91 9998 506661

**Corporate Address:**

G-23, Siromany Business Center, Nr. Eden Ceramic City, Behind Real Plaza,  
8-A National Highway, At Lalpar, Dist. Morbi, 363 642 Gujarat (INDIA)

