


GLOSSY

600 X 1200 MM



INNOVATIVE
CREATION
REJUVENATE







ATENEA GREY

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to abrasion



Anti-slip



Breaking Strength



Thermal shock resistant



Frost resistant



Resistant to staining





ATENEA PULTO

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to abrasion



Anti-slip



Breaking Strength



Thermal shock resistant




Frost resistant



Resistant to staining







ALASKA WHITE

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining







ANTIQUE MACDONIA

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining





ANTOLIA REALE

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to abrasion



Anti-slip



Breaking Strength



Thermal shock resistant



Frost resistant



Resistant to staining





ANTIQUE RIANO

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining





BRECCIA AURORA

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining





Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining




BRECCIA LIMESTONE

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM







BRECCIA NATURAL

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining





BRECCIA ROSTONE

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining





BENTLY WHITE

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining





BONZA BEIGE

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining







BONZ BOTO CREMA

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining





BRECCIA EON

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining





Applicable:



Resistant to abrasion



Anti-slip



Breaking Strength



Thermal shock resistant



Frost resistant



Resistant to staining



BRECCIA SEEMLESS

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM







Applicable:



Resistant to abrasion



Anti-slip



Breaking Strength



Thermal shock resistant



Frost resistant



Resistant to staining



CARRARA SMART

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM







CELIO LIGHT

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength




Thermal shock
resistant



Frost
resistant



Resistant to
staining





CELIO

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to abrasion



Anti-slip



Breaking Strength



Thermal shock resistant



Frost resistant



Resistant to staining






DECOR CRYSTAL WHITE & CRYSTAL WHITE

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:

- 
Resistant to abrasion
- 
Anti-slip
- 
Breaking Strength
- 
Thermal shock resistant
- 
Frost resistant
- 
Resistant to staining





DYNA GOLD

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining





DYNO REALE

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining





Applicable:



Resistant to abrasion



Anti-slip



Breaking Strength



Thermal shock resistant



Frost resistant



Resistant to staining



DYNO ROYAL

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM







FOREST COFFEE

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant




Frost
resistant



Resistant to
staining






FOREST WHITE

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to abrasion



Anti-slip



Breaking Strength



Thermal shock resistant



Frost resistant



Resistant to staining





FOREST BROWN

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to abrasion



Anti-slip



Breaking Strength



Thermal shock resistant




Frost resistant



Resistant to staining





GLACIAR BIANCO

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant




Frost
resistant



Resistant to
staining



ROBERT LORENZ - CHARCOAL
BAPTISTE PEREIRA - PAPER
LIFE AT THE EDGE




GOLDEN CALACATTA

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant




Frost
resistant



Resistant to
staining





GOLDEN MIST

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining





HAVOK VERDE

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to abrasion



Anti-slip



Breaking Strength



Thermal shock resistant



Frost resistant



Resistant to staining





HAWAI WHITE

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining



SPICE
APPETITE
COOK
SALT
KIT
BREW
DIN
DES
BA
CUI
A LA
RO
EAT

HERBS
SALAD
COFFEE
TASTE
ESSENCE
PINCH
LUNCH
CRISPY
CUCINA
ZEST
FRESH
ENTREE
SERVINGS
GOOD

FEAST
MEAL
BREWERY
STAM
SNACK
GRILLERY
DISH
FLAVOR
BRUNCH
BEVERAGE
FRESH
NOURISH
DRINK
REFRESHMENT
FOOD



Applicable:



Resistant to abrasion



Anti-slip



Breaking Strength



Thermal shock resistant



Frost resistant



Resistant to staining



ITALIAN BEIGE

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM







ITALIAN COFFEE

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining





LAYLA CREMA

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining





LONA GREY

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining





LUX WHITE

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:

- 
Resistant to abrasion
- 
Anti-slip
- 
Breaking Strength
- 
Thermal shock resistant
- 
Frost resistant
- 
Resistant to staining





MACRONI RIVER

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining





Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining



MARMI STATUARIO

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



the harder
you work
the luckier
you get



the harder
you work
the luckier
you get





MELODY BEIGE

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining





MELODY TAUPE

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining





Applicable:



Resistant to abrasion



Anti-slip



Breaking Strength



Thermal shock resistant



Frost resistant



Resistant to staining




MELODY LIGHT

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM







MOSCHINO

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to abrasion



Anti-slip



Breaking Strength



Thermal shock resistant



Frost resistant



Resistant to staining





NAPLES BRUNO

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to abrasion



Anti-slip



Breaking Strength



Thermal shock resistant



Frost resistant



Resistant to staining





ORBITO GREY

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining

MODULAS





ORBITO MIST

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to abrasion



Anti-slip



Breaking Strength



Thermal shock resistant



Frost resistant



Resistant to staining



THE FASHION BOOK
SUPER CARDIO
THE ALL-NEW OR BEAUTY
THE ALL-NEW OR BE
THE ALL-NEW OR BE





POLIDO GREY

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to abrasion



Anti-slip



Breaking Strength



Thermal shock resistant



Frost resistant



Resistant to staining








POLIDO PERLA

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining






POLATO NERO

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining






PULPIS BEIGE

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining







PULPIS CREMA

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining





PULPIS GREY

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining



the best
you want
the best
you get

RISE
and
SHINE

LET THE GOOD
TIME BE



ROMA TRAVERTINO

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:

- 
Resistant to abrasion
- 
Anti-slip
- 
Breaking Strength
- 
Thermal shock resistant
- 
Frost resistant
- 
Resistant to staining






ROYAL ONYX

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining



LIVE SIMPLY.
DREAM BIG.
BE GRATEFUL.
LIVE LOVE.
LAUGH LOTS.

CAFE latte
20% ESPRESSO
STEAMED
MILK - 10 oz.
HOT FOAM

INTO EACH...
ONE...
OF
A DASH OF
FUN
PINCH OF FOLLY
AND A SPOONFUL OF
LAUGHTER



SARREN COLLIN

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining





SILVER GREY

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:

- 
Resistant to abrasion
- 
Anti-slip
- 
Breaking Strength
- 
Thermal shock resistant
- 
Frost resistant
- 
Resistant to staining





Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining



SILVER TRAVERTINO

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM









SKY VALENCIA

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to abrasion



Anti-slip



Breaking Strength




Thermal shock resistant



Frost resistant



Resistant to staining





SOLACE GREY

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining





STATUARIO

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant




Frost
resistant



Resistant to
staining







STATUARIO NUVO

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining





TORINO CREMA

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining






TORINO SKY

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining






TRAVERTINO PEARLA

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining





TURKEY DYNA

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining





VENICE NATURAL

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to abrasion



Anti-slip



Breaking Strength



Thermal shock resistant



Frost resistant



Resistant to staining





VENICE SILVER

Finish:
Glossy

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining


ESKIMO TECHNICAL SPECIFICATION

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD ISO 13006/EN 176 GROUP B10	ESKIMO VALUE
DIMENSION & SURFACE QUALITY			
Deviation in length	ISO-10545-2	± 0.6%	± 0.2%
Deviation in Thickness	ISO-10545-2	± 5%	± 3%
Straight of Sides	ISO-10545-2	± 0.5%	± 0.2%
Rectangularity	ISO-10545-2	± 0.5%	± 0.2%
Surface Flatness	ISO-10545-2	± 0.5%	± 0.2%
PHYSICAL & THERMAL PROPERTIES			
Water Absorption	ISO-10545-3	< 0.50%	< 0.04%
Mohs Hardness	EN-101	Min.5	Min.5
Flexural Strength	ISO-10545-4	> 35N/mm ²	> 40N/mm ²
Skid Resistance (Friction Coefficient)	ISO-10545-17	> 0.4	> 0.4
Breaking Strength	ISO-10545-11	> 1113N	> 1800N
Frost Resistance	ISO-10545-12	Frost Proof	Frost Proof
Thermal Shock Resistance	ISO-10545-9	No Damage	No Damage
Noisture Expansion	ISO-10545-10	NIL	NIL
Resistance to Surface Abrasion	ISO-10545-7	Abrasion class shall be specified by the manufacturer	PIE IV
CHEMICAL PROPERTIES			
Chemical Resistance	ISO-10545-13	No Damage	No Damage
Color Resistance	ISO-10545-16	No Damage	No Damage
Stain Resistance	ISO-10545-14	Resistant	Resistant

PACKING DETAILS

Dimension (MM)	BOX			
	PIECES	Sq. Mtr	Sq. Feet	Weight (Apx.)
600X1200MM	2	1.44	15.50	30Kgs.

Contact Details:


 www.eskimoceramica.com

Export Inquiry:

 export@eskimoceramica.com

 +91 8980 714071

Domestic Inquiry:

 eskimoceramica@gmail.com

 +91 9925 132132

 +91 9998 506661

Corporate Address:

G-23, Siromany Business Center, Nr. Eden Ceramic City, Behind Real Plaza,
8-A National Highway, At Lalpar, Dist. Morbi, 363 642 Gujarat (INDIA)